Chromatographia Vol 32, Contents

Contents Vol. 32, No. 1/2, July 1991

Originals

Headspace-Gas Chromatography: The Influence of Sample Volume on Analytical Results 5
L. S. Ettre / B. Kolb

Use of a Displacement Model for Solvent Sorption to Study Non-Specific Selectivity in Reversed-Phase Liquid Chromatography 13
M. Jaroniec / S. Lin / R. K. Gilpin

Thin-Layer Chromatography and Densitometry of Anthocyanins in the Petals of Red Poppy During Development of the Flowers 19
G. Matysik / M. Benesz

High Performance Liquid Chromatography Assay for Alanine Amino Transferase 23
S. Canepari / V. Carunchio / A. M. Girelli / A. Messina

A New Procedure Using Membrane Chromatography for the Valorization of Fraction IV from Kistler and Nitschmann's Fractionation of Blood Plasma 27
J. F. Lacoste-Bourgeacq / Ch. Desneux / M. Allary

Determination of Carbonyl Compounds in Air by HPLC Using On-Line Analyzed Microcartridges, Fluorescence and Chemiluminescence Detection 33
L. Nondek / R. E. Milofsky / J. W. Birks

Analytical Supercritical Fluid Extraction of Chinese Herbal Medicines 40
X. Ma / X. Yu / Z. Zheng / J. Mao

High-Performance Liquid Chromatographic Determination of Furfural and Hydroxymethylfurfural in Apple Juices and Concentrates 45
D. Blanco Gomis / M. D. Gutiérrez Alvarez / L. Sopeña Naredo / J. J. Mangas Alonso

Evaluation of Octadecyl-Bonded Alumina for Separations of Proteins and Peptides by Reversed-Phase High-Performance Liquid Chromatography 49
J. E. Haky / A. R. Raghani / B. M. Dunn / L. F. Wieserman

Distribution Behavior of Some Drug Enantiomers in an Aqueous Two-Phase System Using Counter-Current Extraction with Protein 56
T. Arai / H. Kuroda

Sample-Induced Internal pH Gradients in Microcolumn Liquid Chromatography of Proteins 61
M. Janeček / J. Šalamoun / K. Šlais

Ion-Exchange Chromatography of Glycolatocomplexes of Rare Earths 65
R. Kuroda / T. Wada (/ G. Kishimoto / K. Oguma

Analysis of Enantiomeric Flavanones in Plant Extracts by High-Performance Liquid Chromatography on a Cellulose Triacetate Based Chiral Stationary Phase 69
M. Krause / R. Galensa

Ion-Pair Chromatography of Dianionic Species by Dionium Reagents 73
A. Ohki / J. Okamoto / K. Naka / S. Maeda

Studies of the Influence of Hydrogen Chloride on the Liquid Chromatographic Properties of Amino Bonded Phases 79
S. B. Ehtesham / R. K. Gilpin

Short Communications

Enantioseparation of α-Phenylglycine by HPLC on an ODS Column Coated with Chiral Crown Ether 82
J. Żukowski / M. Pawlowska / M. Pietraszkiewicz

Rapid Separation of Some Antiepileptic Drugs in Serum by HPLC 85
R. Ohmacht / Z. Matus / J. Soós

Contents Vol. 32, No. 3/4, August 1991

Originals

Separation of Copoly(Styrene/Acrylonitrile) Samples According to Composition under Reversed Phase Conditions 107
G. Glöckner / D. Wolf / H. Engelhardt

Improved HPLC Methodology in Occupational Exposure Studies on Formaldehyde 113
M. Colli / A. Gironi / V. Molina / R. Marchetti / G. Melzi D'Eril / C. Lucarelli

Cubic Splines Compared with Other Methods for the Calculation of Programmed Temperature Retention Indices 116
J. A. García Domínguez / J. M. Santiuste

Identification of By-products in Phenylisocyanate Pre-Column Derivatization by Thermospray Liquid Chromatography-Mass Spectrometry 125
S. Rakotomanga / A. Baillet / F. Pellerin / D. Baylocq-Ferrier

Dependence of the Retention Volumes of Additional Streaming Current Responses and of the Column Void Volume on Mobile Phase Composition 130
R. Vespalec / Z. Šimek

Determination of Trichothecenes in Cereals by Gas Chromatography with Ion Trap Detection 137
K. Schwadorf / H.-M. Müller

Single Column Ion Chromatography of Ammonium Ion, Alkali Metals and Alkyl Amines 143
R. Daigle / M. C. Mehra / V. Mallet

Determination of Micelle-Solute Association Constants of Some Benzene and Naphthalene Derivatives by Micellar High-Performance Liquid Chromatography with Butanol and Sodium Chloride Additives to Mobile Phase 148
M. A. García / S. Vera / M. L. Marina

The Effect of Electric Field Strength, Buffer Type and Concentration on Separation Parameters in Capillary Zone Electrophoresis 155
H. J. Issaq / I. Z. Atamna / G. M. Muschik / G. M. Janini

Liquid Chromatography of Erythromycin A and Related Substances on Poly(styrene-divinylbenzene) 162
J. Paesen / E. Roets / J. Hoogmartens

Porous Copolymer-Based Cation Exchanger for the Off-Line Preconcentration of Aromatic Amines from Water 167
B. Gawdzik / U. Czerwińska-Bil

Poly(methylglutamate)-Coated Surfaces in HPLC and CE 171
D. Bentrop / J. Kohr / J. Engelhardt

Short Communication

Quantitative Analysis by Thin-layer Chromatography with Secondary Ion Mass Spectrometry 179
K. Banno / M. Matsuoka / R. Takahashi

Contents Vol. 32, No. 5/6, September 1991

Editorial

Financial Aid to Participate in International Symposium 1992 201

Originals

Packed-Capillary Supercritical Fluid Chromatography of Pesticides Using Phosphorus-Selective Detection 203
J. G. J. Mol / B. N. Zegers / H. Lingeman / U. A. Th. Brinkman

Anomalies in Homologous Relationships: When to Suspect Extrapolations 211
St. J. Hawkes

Chiral Separation on Achiral Stationary Phases with Different Functionalities Using β-Cyclodextrin in the Mobile Phase and Application to Bioanalysis and Coupled Columns 215
A. Walhagen / L.-E. Edholm

Retention Characteristics of Alcohols and Sugars on Polysulfone as a Stationary Phase with an Aqueous Mobile Phase 224
C. M. Tam / O. Kutowy / F. D. F. Talbot

An Application of Fast Protein Liquid Chromatography (FPLC) in the Purification of Retinol Binding Protein from Rat Serum 229
L. Pizzoferrato / F. Vignolini / S. Gaetani

Information Theory of Optimization in Chromatography: Optimum Peak Separation and Dependency on Peak Area 233
R. Matsuda / Y. Hayashi / T. Suzuki / Y. Saito

Simultaneous Determination of Pentachlorophenol and Carbaryl in Water 238
M. A. Fernández Muíño / J. Simal Gándara / J. Simal Lozano

Thermal Immobilization of Carboxy functionalized Polysiloxanes: Practice and Mechanism 241
G. Lai / U. Mühleck / G. J. Nicholson / J. Schmid / E. Bayer

Hypercoulometric Effect in an Electron Capture Detector Polarized with an Additional Voltage 248
J. Lasa / I. Sliwka / B. Drozdowicz

Application of Target Factor Analysis to Gas Chromatography. Reproduction, Prediction and Classification 259
G. Bergman / H.-J. Götze / A. Hermann / P. Zinn

Synthesis of Affinity Chromatography and Electrophoresis Matrices for the Purification of Bile Acid Transport Proteins 265
S. Müllner / W. Möller / K. Ziegler / H. Fasold

Automated Sample Preparation Using Supported Liquid Membranes for Liquid Chromatographic Determination of Sulfonylurea Herbicides 269
G. Nilvé / R. Stebbins

HPTLC Separation of Aromatic α-Amino Acid Enantiomers on a New Histidine-Based Stationary Phase Using Ligand Exchange 278
M. Remelli / R. Piazza / F. Pulidori

Short Communication

A Combined Chromatographic and IR Spectroscopic Method to Identify Antioxidant in Biomedical Polyurethane 285
K. Sreenivasan

Letter to the Editors

About the Separation of L-(+)-Ascorbic Acid and D-(–)-Isoascorbic Acid by HPLC 287

Contents Vol. 32, No. 7/8, October 1991

Editorial

Financial Aid to Participate in International Symposium 1992 305

Originals

Qualitative and Quantitative Analysis of Uric Acid, Creatine and Creatinine together with Carbohydrates in Biological Material by HPTLC 307
R. Klaus / W. Fischer / H. E. Hauck

Electrochromatography in Packed Tubes Using 1.5 to 50 µm Silica Gels and ODS Bonded Silica Gels 317
J. H. Knox / I. H. Grant

Role of Solute Hydrophobicity and Charges in Reverse-Phase Ion-Pair Liquid Chromatography 329
H. F. Zou / Y. K. Zhang / M. F. Hong / P. C. Lu

Retention Characteristics of Chlorinated Polycyclic Aromatic Hydrocarbons in Normal Phase HPLC.
I. Chloro-Added PAH 334
U. L. Nilsson / A. L. Colmsjö

Fast Purification of Cyclodextrin-Glucosyltransferase from *Bacillus circulans* E 192 by Affinity Chromatography Using an Epichlorhydrin-Reticulated Copolymer of Beta-Cyclodextrin 341
J. R. Villette / P. J. Looten / S. J.-L. Bouquelet

Chromatography in Pore Networks II – The Role of Structure and Adsorption in the Band Broadening 345
J. S. Andrade Jr. / K. Rajagopal / C. McGreavy

Separation of Fluorescent 1,N^6 Ethenoderivatives of Diadenosine Polyphosphates and Their Enzymatic Degradation Products by Reversed-Phase High-Performance Liquid Chromatography 350
A. Ramos / M. Guerra / P. Rotllán

Capillary Headspace – Gas Chromatography for the Characterization of the Flavour of Fresh Vegetables 357
A. Shinohara / A. Sato / H. Ishii / N. Onda

Selectivity Studies on Branched and Linear Alkyl Bonded Stationary Phases in Reversed-Phase Liquid Chromatography 365
M. J. M. Wells / C. R. Clark / V. Rehak / J. Sabartova

Peak Area Measurement of Severely Overlapped Pairs 373
N. S. Wu / G. H. Gu

Gas Chromatographic Analysis of Free Monosaccharides in Milk 379
E. Troyano / A. Olano / M. Fernández-Díaz / J. Sanz / I. Martínez-Castro

Fully Automated High-Performance Liquid Chromatographic Separation of DL-Amino Acids Derivatized with *o*-Phthaldialdehyde together with *N*-Isobutyl-Cysteine. Application to Food Samples 383
H. Brückner / R. Wittner / H. Godel

Short Communication

New Materials and Packing Techniques for Micro-HPLC Packed Capillary Columns 389
A. Cappiello / P. Palma / F. Mangani

Contents Vol. 32, No. 9/10, November 1991

Originals

Tartaric Acid Derivatives as Chiral Selectors in Liquid Chromatography 407
E. Heldin / K.-J. Lindner / C. Pettersson / W. Lindner / R. Rao

On-Line Solid-Phase Extraction of Soil Auxins Produced from Exogenously-Applied Tryptophan with Ion-Suppression Reverse-Phase HPLC Analysis 417
D. A. Martens / W. T. Frankenberger, Jr.

Determination of Phenolic Compounds in Water by HPLC by Linear Gradient. An Optimised Method 423
O. Busto / J. C. Olucha / F. Borrull

Doping Analysis of Beta-Blocking Drugs Using High-Performance Liquid Chromatography 429
M. S. Leloux / F. Dost

Retention Behavior of Some Monobasic Penicillins and Their Quaternary Ammonium Ion Pairs in Reversed-Phase High-Performance Liquid Chromatography 436
D. J. Fletouris / J. E. Psomas / A. J. Mantis

Sampling and Analysis of Light Hydrocarbons in Volcanic Gases 441
F. Mangani / A. Cappiello / B. Capaccioni / M. Martini

Determination of Polar Pollutants in Water Using an On-Line Liquid Chromatographic Preconcentration System 445
E. R. Brouwer / I. Liska / R. B. Geerdink / P. C. M. Frintrop / W. H. Mulder / H. Lingeman / U. A. Th. Brinkman

A Quantitative Study of the Adsorption Effect on the Retention of Dicarboxylic Acids in Ion-Exclusion Chromatography 453
G. L. Zhao / L. N. Liu

Analysis of Isomeric Cresols by Gas Chromatography 457
A. M. Nardillo / R. C. Castells / C. B. Castells

Short Communications

Determination and Quantification of Dimethyl Sulphoxide by HPLC 461
W. Thumm / D. Freitag / A. Kettrup

Analysis of the Soluble Proteins in Grape Musts by Reversed-Phase HPLC 463
R. Gonzáles-Lara / L. M. González

Phenol and *p*-Cresol Determination in Urine by a Rapid Headspace Gas Chromatographic Method 466
W. Tashkov / I. Benchev / N. Rizov / M. Kafedzhieva / A. Kolarska

Review

A Review of Biotechnology and Large Scale Affinity Chromatography 469
K. Jones

Contents Vol. 32, No. 11/12, December 1991

Originals

Study of the Efficiency of a Mobile Phase Used in Size-Exclusion HPLC for the Separation of Peptides from a Casein Hydrolysate According to their Hydrodynamic Volume 499
L. Lemieux / J.-M. Piot / D. Guillochon / J. Amiot

Theory and Practice of Multiple Headspace Extraction 505
B. Kolb / L. S. Ettre

Applicability and Precision of Simultanous Chromatographic Determination of Some Characteristics of Solid Phases and Their Beds 514
R. Vespalec / M. Ciganková

High-Performance Liquid Chromatographic Assay of Debrisoquine and Its 4-Hydroxy Metabolite in Human Urine 523
C. Goubier / I. Girard / S. Ferry

Sample Preparation by Supercricital Fluid Extraction in Environmental Food and Polymer Analysis 527
H. Engelhardt / J. Zapp / P. Kolla

Effect of Inorganic Salt Concentration on the Retention Value in Reversed Phase Ion-Pair Liquid Chromatography 538
Y. K. Zhang / H. F. Zou / M. F. Hong / P. C. Lu

Purity of Carbon Dioxide as Limiting Factor in Trace-Level Analysis by On-Line Supercritical Fluid Extraction/Capillary Gas Chromatography 543
M. W. F. Nielen / J. A. Stäb / H. Lingeman / U. A. Th. Brinkman

Elution Behavior of N-Heterocyclic Derivatives of Mixed Ruthenium(II)-Sulfoxide Complexes in Reversed-Phase High-Performance Liquid Chromatography 546
H. E. Toma / D. O. Silva

Directly Coupled Supercritical-Fluid Extraction/Capillary Supercritical-Fluid Chromatography of Polymer Additives 549
H. Daimon / Y. Hirata

Reverse-Phase HPLC of Organic Acids in Musts 555
M. Llorente / B. Villarroya / C. Gómez-Cordovés

A Computer Routine for the Selection and Optimization of Multisolvent Mobile Phase Systems in Reversed-Phase Liquid Chromatography 559
S. Heinisch / P. Riviere / J. L. Rocca

Optimization of Isocratic Mobile Phase Composition for HPLC Analysis of Eleven Substituted Phenols 566
O. Busto / J. C. Olucha / F. Borrull

Preparative Scale, Semi-Continuous, Counter-Current, Chromatographic Refiner in Carbohydrate Separations 573
G. Ganetsos / P. E. Barker

Short Communications

Gas Syringe Sampling at Very Low Pressure 579
J. S. Morse / V. A. Cundy / C. B. Leger

Anion-Exchange Preconcentration and Determination of Bismuth in Environmental Materials 583
R. Kuroda / K. Oguma / Y. Mori / H. Okabe / T. Takizawa